

DALY, CROWLEY, MOFFORD & DURKEE, LLP

354A Turnpike Street - Suite 301A
CANTON, MASSACHUSETTS 02021-2714

TELEPHONE: 781-401-9988

FACSIMILE: 781-401-9966

CHRISTOPHER S. DALY
JUDITH C. CROWLEY
DONALD F. MOFFORD
PAUL D. DURKEE

KERMIT ROBINSON
ANTHONY T. MOOSEY

OF COUNSEL
MARIANNE M. DOWNING
CATHY L. PETERSON

September 24, 2007

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RE: U.S. Patent of Robert A. Boudrie, et al.
Patent No.: 7,266,574
Issued on: September 4, 2007
Entitled: IDENTIFICATION OF UPDATED FILES FOR INCREMENTAL BACKUP
U.S. Appl. No.: 10/032,075
Our Ref. No.: EMC-048PUS

Dear Sirs:

Enclosed is a completed copy of Form PTO/SB/44. It is requested that a Certificate of Correction be issued to correct the listed mistakes in the above-identified patent.

Enclosed is electronic payment of the \$100.00 fee to cover the cost of the Certificate of Correction in accordance with 37 C.F.R. §1.20(a). If there are any additional fees, please charge Deposit Account 50-0845 referencing Attorney Docket No. EMC-048PUS.

Regards,


Anthony T. Moosey
atm@dc-m.com

ATM/dms
Enclosures
63494

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,266,574
DATED : September 4, 2007
INVENTOR(S) : Robert A. Boudrie et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 2, line 3, delete “, the” and replace with -- , they --.

Col. 2, line 27, delete “due false” and replace with -- due to false --.

Col. 2, line 32, delete “it’s” and replace with -- its --.

Col. 3, line 33, delete “FIG. 3 is flow” and replace with -- FIG. 3 is a flow --.

Col. 4, line 41, delete “, the” and replace with -- , they--.

Col. 4, line 60, delete “it’s” and replace with -- its--.

MAILING ADDRESS OF SENDER:

DALY, CROWLEY, MOFFORD & DURKEE, LLP
354A Turnpike Street, Suite 301A
Canton, MA 02021-2714

PATENT NO. 7,266,574

No. of additional copies

⇒ 0